

ANNOTATED LIST OF THE MOLLUSCA FOUND IN THE VICINITY OF
LA JOLLA, SAN DIEGO CO., CAL.

BY MAXWELL SMITH.

(Concluded from p. 59).

Plate VII, view of La Jolla.

- **Odostomia pupiformis*, Cpr. Mostly worn specimens.
Gyrineum californicum Hds. Pacific Beach. Buried in mud.
Cypraea spadicea, Gray. After violent storms.
Trivia californica, Gray. False Bay. A few living, dead shells
 common at La Jolla.
Trivia solandri, Gray. Not rare.
Erato columbella, Menke. In the drift.
Erato vitellina, Hds. Seldom collected alive.
 **Triforis adversa*, Mont. Fine shells not rare.
Cerithiopsis tuberculata, Mont. A few small specimens.
 **Cerithiopsis metaxæ*, Della Chiaje. False Bay. A single shell.
Bittium quadrifilatum, Cpr. False Bay. On sponges.
Cerithidea californica, Hald. False Bay. With *Melampus*.
Cæcum californicum, Dall. Uncommon.
Cæcum erebricinctum Cpr. Under rocks resting on clean sand.
Vermetus squamigerus, Cpr. Plentiful under stones.
Littorina scutulata, Gld. On the rocks.
Littorina planaxis, Nutt. With above.
 **Lacuna unifasciata*, Cpr. Plentiful.
 **Fossarus fenestratus*, Cpr. Rare.
 **Rissoa compacta*, Cpr. Not often found.
 **Rissoina aequisculpta*, Cpr. Not often found.
Truncatella californica, Pfr. False Bay. In drift.
Truncatella simpsoni, Sby. False Bay. With above.
Crucibulum spinosum, Sby. Pacific Beach. Several specimens
 have long spines.
Crepidula aculeata, Gmel. On the beaches.
Crepidula navicelloides, Nutt. In aperture of *Natica*. Identical
 with *C. plana*.
Crepidula onyx, Sby. Pacific Beach. On stones.
Amalthea antiquatus, Linn. Under layers of rock.
Amalthea cranioides, Cpr. With above.

- **Amalthea tumens*, Cpr. Young specimens.
Natica draconis, Dall. Rare with *N. lewissii*.
Polinices lewissii, Gld. Pacific Beach. Common, below tide.
Polinices recluziana, Desh. Pacific Beach. Abundant at low tide.
Polinices uber, Val. False Bay. A Lower California shell.
 Not before reported from California.
Lottia gigantea, Gray. Small specimens plentiful on the rocks.
Acmaea asmi, Midd. On *Chlorostoma*.
Acmaea scabra, Rve. Not uncommon.
Acmaea inessa, Hds. Several shells, soft parts gone.
Acmaea mitra, Esch. Torrey Pines. One specimen.
Acmaea paleacea, Gld. On eel-grass, common.
Acmaea patina, Esch. Abundant at all times.
Acmaea persona, Esch., var. *umbonata*, Nutt. Many examples.
Acmaea spectrum, Nutt. On rocks.
Acmaea depicta, Hds. On grasses.
Acmaea rosacea, Cpr. One faded shell.
Phasianella compta, Gld. In drift.
Leptothyra carpenteri, Pils. Two specimens.
Pomaulax undosus, Wood. Many shells at low tide.
Norrisia norrisii, Sby. In algæ.
Calliostoma canaliculatum, Mart. One small shell.
Calliostoma tricolor, Gabb. Pacific Beach. Under small round stones.
Calliostoma gemmulatum, Cpr. Dead shells, rare.
Chlorostoma aureotinctum, Fbs. Not uncommon.
Chlorostoma funebre, Ad. Many examples.
Chlorostoma gallina, Fbs. Not rare.
 **Halistylus pupoides*, Cpr. Not common. A northern species.
 **Ethalia supravallata*, Cpr. Rare.
 **Liotia acuticostata*, Cpr. Several examples.
Liotia fenestrata, Cpr. Beautiful specimens.
 **Vitrinella complanata*, Cpr. Three shells.
Haliotis corrugata, Gray. Pacific Beach. One small example.
Haliotis fulgens, Phil. The most abundant *Haliotis*.
Haliotis rufescens, Swains. Several fine specimens.
Fissurella volcano, Rve. Under stones, common.
Fissuridea murina, Dall. Dead shells.
Lucapina crenulata, Sby. Occasionally found alive.

